



EPW

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re patent application of : Docket No.: 6192.0244.AA
Dong-Gyu KIM : Group Art Unit: 2871
Serial No.: 10/062,465 : Examiner: QI, Zhi Qiang
Confirmation No.: 2819 :
Filed: February 5, 2002 :
For: **LIQUID CRYSTAL DISPLAY AND METHOD FOR MANUFACTURING THE
SAME**

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

RESPONSE TO ELECTION/RESTRICTION REQUIREMENT

Sir:

In reply to the April 20, 2004 Restriction Requirement, Applicants provisionally elects Group I, Claims 1-16, drawn to an electrodes connection structure of an LCD. Within Group I, Applicants provisionally elect Species 1, Claims 1-13, with traverse.

It is also respectfully submitted that the subject matter of all claims is sufficiently related that a thorough search for the subject matter of any one Group of claims would encompass a search for the subject matter of the remaining claims. Thus, it is respectfully submitted that the search and examination of the entire application could be made without serious burden. See MPEP § 803 in which it is stated that "if the search and examination of an entire application can be made without serious burden, the examiner must examine it on the merits, even though it includes claims to independent or distinct inventions." It is respectfully submitted that this


Applicants: Dong-Gyu KIM
Application No.: 10/062,465

policy should apply in the present application in order to avoid unnecessary delay and expense to Applicants and duplicative examination by the Patent Office.

Thus, withdrawal of the Restriction Requirement is respectfully requested.

It is not believed that any further extensions of time or fees are required. If extensions of time are necessary to prevent abandonment of this application, then such extensions of time are hereby petitioned for under 37 C.F.R. §1.136(a) and are hereby authorized to be charged to our Deposit Account No. 23-1951. .

Respectfully submitted,



Hae-Chan Park
Reg. No. 50,114

Dated: May 20, 2004

McGuire Woods LLP
1750 Tysons Boulevard, Suite 1800
McLean, VA 22102-4215
Telephone: 703-712-5365
Fax: 703-712-5280